


	STATE	PROJECT	SHEET NUMBER
NOTES:			

- Install striping in accordance with the "Manual on Uniform Traffic Control Devices" (MUTCD), latest edition.
- 2. Typical pavement marking widths are shown. Use wider pavement markings when specified in the plans or as directed by the CO.

U.S. DEPARTMENT OF TRANSPORTAT FEDERAL HIGHWAY ADMINISTRATIC OFFICE OF FEDERAL LANDS HIGHW	ON			
EFLHD DETAIL				
PAVEMENT MARKINGS IN NEUTRAL AREAS				
DETAIL APPROVED FOR USE	DETAIL E634-04			
APPROVED: MARCH 2015 REVISED: SEPTEMBER 2020				





NOTES TO THE DESIGNER

March 4, 2021

General Information

- 1. To remove Raised Pavement Markers (RPMs) from the detail, turn off level AUX_01 and keep level AUX_02 on (Detail A, RPMs, and non-applicable Notes will disappear; and the sheet title will change).
- 2. To keep the RPMs shown on the detail, turn off level AUX_02 and keep level AUX_01 on.
- 3. Make sure to include Detail E634-02 if you have RPMs for your project.
- 4. For Note 5, if partner agency requested to use pavement markings wider than what's shown on the detail, make sure to address that in the SCRs.

Applicable SCRs.

Typical Pay Item Used

- For pavement marking, use 63401, 63402, 63403, or 63405 pay item series as applicable to the project.
- For Raised Pavement Markers, use any of the following pay items as applicable to the project:
 - o 63406-0000 RAISED PAVEMENT MARKER (EACH) (generic pay item)
 - o 63406-0100 RAISED PAVEMENT MARKER, NON-REFLECTIVE (EACH)
 - 63406-0200 RAISED PAVEMENT MARKER, NON-PLOWABLE, BI-DIRECTIONAL REFLECTIVE (EACH)
 - 63406-0300 RAISED PAVEMENT MARKER, NON-PLOWABLE, MONO-DIRECTIONAL REFLECTIVE (EACH)
 - 63406-0400 RAISED PAVEMENT MARKER, PLOWABLE, BI-DIRECTIONAL REFLECTIVE (EACH)
 - 63406-0500 RAISED PAVEMENT MARKER, PLOWABLE, MONO-DIRECTIONAL REFLECTIVE (EACH)

Updates

- 01/2019 Created the 1st Notes to Designers document.
- 03/2021 Added the list of pay items.